	Type	L #	Hits	Search Text	DBs
1	BRS	L1	3591	phase adj multipl$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	8120	even adj spac$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	3	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	163453	(measur$4 or adjust$4) SAME delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	590	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	27	equal adj phase adj spac$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	1058307	bias$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	619	1 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	808165	delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	354	8 .and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	392	equal adj bias$4 adj current$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	1	10 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	16608	loop adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	171	13 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	1060	voltage adj control$4 adj delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	3	14 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	3	convert$4 SAME (phase adj delay) SAME (phase adj current) SAME bias$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	41	9 and 13 and 15 and reset and bias and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	22051	(equal or match$4) adj frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	194	19 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	638	phase near3 output$1 near2 even$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
22	BRS	L22	16	phase near3 output$1 near2 even$2 near1 space$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	1473	(dual or double) adj gate adj (transistor$1 or FET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	9	23 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L25	233	bias and 23 and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	29	25 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	393	(bias adj current) SAME plurality SAME equal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	1	(phase adj current$1) SAME (polarity adj opposite) SAME (bias adj current$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	1	27 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	55	(phase adj current$1) SAME (polarity adj opposite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L31	1	30 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	26038	(phase adj current$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L33	12	32 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L34	379	(voltage adj generat$4) SAME (loop adj filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L35	1	34 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
36	BRS	L36	35034	(phase near1 controll$4) or (voltage adj controll$2 adj delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L37	10	36 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L38	1	(phase adj multipl$4) same (equal adj bias adj current$1) same (difference near2 phase) SAME (polarity adj opposite) SAME (generat$4 near2 voltage) SAME (loop adj filter) SAME (voltage adj control$4 adj delay).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L39	1	(bias adj current) SAME plurality SAME (equal adj bias$4 adj current) same (phase adj current) same (polarity adj opposite) SAME (voltage adj generat$4) SAME (loop adj filter) SAME (phase adj controll$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L40	30810	"360" adj degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L41	30810	("360" adj degrees)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
42	BRS	L42	88	41 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L43	1	(bias adj current) SAME plurality SAME (equal adj bias$4 adj current) same (phase adj current) same (polarity adj opposite) SAME (voltage adj generat$4) SAME (loop adj filter) SAME (phase adj controll$4).clm.	US-PGPUB
44	BRS	L44	1	(phase adj multipl$4) same (equal adj bias adj current$1) same (difference near2 phase) SAME (polarity adj opposite) SAME (generat$4 near2 voltage) SAME (loop adj filter) SAME (voltage adj control$4 adj delay).clm.	US-PGPUB